FIRE ALARM AND EMERGENCY COMMUNICATION SYSTEM INSPECTION AND TESTING FORM

To be completed by the system inspector or tester at the time of the inspection or test. It shall be permitted to modify this form as needed to provide a more complete and/or clear record. Insert N/A in all unused lines.

Attach additional sheets, data, or calculations as necessary to provide a complete record.

| | Date of this inspection | on or test: | | Time of inspection or test: | | | | | |
|----|--|--|------------------|--|--|--|--|--|--|
| 1. | PROPERTY INFO | PROPERTY INFORMATION | | | | | | | |
| | Name of property: | | | | | | | | |
| | Address: | | | | | | | | |
| | Description of property: | | | | | | | | |
| | Occupancy type: | | | | | | | | |
| | Name of property representative: | | | | | | | | |
| | Address: | | | | | | | | |
| | Phone: | F | ax: | E-mail: | | | | | |
| | | | | | | | | | |
| | | | | E-mail: | | | | | |
| | | INSTALLATION, SERVICE, AND TESTING CONTRACTOR INFORMATION Service and/or testing organization for this equipment: Address: | | | | | | | |
| | Phone: | | | E-mail: | | | | | |
| | Service technician o | | | | | | | | |
| | | Service technician or tester: Qualifications of technician or tester: | | | | | | | |
| | A contract for test and inspection in accordance with NFPA standards is in effect as of: | | | | | | | | |
| | The contract expires | : | Contract numbe | er: Frequency of tests and inspections: | | | | | |
| | Monitoring organiza | Monitoring organization for this equipment: | | | | | | | |
| | Address: | | | | | | | | |
| | Phone: | Fa | ax: | E-mail: | | | | | |
| | Entity to which alarr | ns are retransmitted: | | Phone: | | | | | |
| 3. | TYPE OF SYSTE | M OR SERVICE | | | | | | | |
| | ☐ Fire alarm system | n (nonvoice) | | | | | | | |
| | ☐ Fire alarm with in | n-building fire emerge | ency voice alarr | n communication system (EVACS) | | | | | |
| | ☐ Mass notification | ☐ Mass notification system (MNS) | | | | | | | |
| | ☐ Combination syst | em, with the followir | ng components: | | | | | | |
| | ☐ Fire alarm | □ EVACS | □MNS | ☐ Two-way, in-building, emergency communication system | | | | | |
| | ☐ Other (specify): | | | | | | | | |

3. TYPE OF SYSTEM OR SERVICE (continued) NFPA 72 edition: Additional description of system(s): 3.1 Control Unit Model number: Manufacturer: 3.2 Mass Notification System ☐ This system does not incorporate an MNS. 3.2.1 System Type: ☐ In-building MNS—combination ☐ In-building MNS—stand-alone ☐ Wide-area MNS ☐ Distributed recipient MNS ☐ Other (specify): 3.2.2 System Features: ☐ Combination fire alarm/MNS ☐ MNS ACU only ☐ Wide-area MNS to regional national alerting interface ☐ Local operating console (LOC) ☐ Direct recipient MNS (DRMNS) ☐ Wide-area MNS to DRMNS interface ☐ Wide-area MNS to high-power speaker array (HPSA) interface ☐ In-building MNS to wide-area MNS interface ☐ Other (specify): 3.3 System Documentation ☐ An owner's manual, a copy of the manufacturer's instructions, a written sequence of operation, and a copy of the record record drawings are stored on site. Location: 3.4 System Software ☐ This system does not have alterable site-specific software. Software revision number: Software last updated on: ☐ A copy of the site-specific software is stored on site. Location: 4. SYSTEM POWER 4.1 Control Unit 4.1.1 Primary Power Input voltage of control panel: Control panel amps: 4.1.2 Engine-Driven Generator ☐ This system does not have a generator. Location of generator: Location of fuel storage: Type of fuel: 4.1.3 Uninterruptible Power System ☐ This system does not have a UPS. Equipment powered by a UPS system: Location of UPS system:

In alarm mode (minutes):

Calculated capacity of UPS batteries to drive the system components connected to it:

In standby mode (hours):

4. SYSTEM POWER (continued)

| 4.1.4 Batteries | | | | |
|---|--|--------------------------|--|--|
| Location: Type: | Nominal voltage: Amp/hour rating: | | | |
| Calculated capacity of batteries to drive the sys | tem: | | | |
| In standby mode (hours): | In alarm mode (minutes): | | | |
| \square Batteries are marked with date of manufactu | re. | | | |
| 4.2 In-Building Fire Emergency Voice Alarn | n Communication System or Mass Notification System | | | |
| ☐ This system does not have an EVACS or MI | NS. | | | |
| 4.2.1 Primary Power | | | | |
| Input voltage of EVACS or MNS panel: | EVACS or MNS panel amps: | | | |
| 4.2.2 Engine-Driven Generator | ☐ This system does not have a gene | rator. | | |
| Location of generator: | | | | |
| Location of fuel storage: | Type of fuel: | | | |
| 4.2.3 Uninterruptible Power System | ☐ This system does not have a U | UPS. | | |
| Equipment powered by a UPS system: | | | | |
| Location of UPS system: | | | | |
| Calculated capacity of UPS batteries to drive the | e system components connected to it: | | | |
| In standby mode (hours): | In alarm mode (minutes): | In alarm mode (minutes): | | |
| 4.2.4 Batteries | | | | |
| Location: Type: | Nominal voltage: Amp/hour rating: | | | |
| Calculated capacity of batteries to drive the sys | tem: | | | |
| In standby mode (hours): | In alarm mode (minutes): | | | |
| ☐ Batteries are marked with date of manufactu | re. | | | |
| 4.3 Notification Appliance Power Extender I | Panels | nels. | | |
| 4.3.1 Primary Power | | | | |
| Input voltage of power extender panel(s): | Power extender panel amps: | | | |
| 4.3.2 Engine-Driven Generator | ☐ This system does not have a gene | rator. | | |
| Location of generator: | | | | |
| Location of fuel storage: | Type of fuel: | | | |
| 4.3.3 Uninterruptible Power System | ☐ This system does not have a U | JPS. | | |
| Equipment powered by a UPS system: | | | | |
| Location of UPS system: | | | | |
| Calculated capacity of UPS batteries to drive th | e system components connected to it: | | | |
| In standby mode (hours): | In alarm mode (minutes): | | | |

NFPA 72, Fig. 14.6.2.4 (p. 3 of 11)

4. SYSTEM POWER (continued) 4.3.4 Batteries Location: Type: Nominal voltage: Amp/hour rating: Calculated capacity of batteries to drive the system: In standby mode (hours): In alarm mode (minutes): ☐ Batteries are marked with date of manufacture. 5. ANNUNCIATORS ☐ This system does not have annunciators. **5.1 Location and Description of Annunciators** Annunciator 1: Annunciator 2: Annunciator 3: 6. NOTIFICATIONS MADE PRIOR TO TESTING Time: Monitoring organization Contact: Building management Contact: Time: Time: **Building** occupants Contact: Authority having jurisdiction Contact: Time: Other, if required Contact: Time: 7. TESTING RESULTS 7.1 Control Unit and Related Equipment Visual Functional Description Inspection Test Comments Control unit Lamps/LEDs/LCDs Fuses Trouble signals Disconnect switches Ground-fault monitoring Supervision П Local annunciator

NFPA 72, Fig. 14.6.2.4 (p. 4 of 11)

Remote annunciators

Power extender panels

Isolation modules
Other (specify)

7.2 Control Unit Power Supplies

Other (specify)

| 7.2 Control Chief ower Supplies | | | |
|--|----------------------|--------------------|----------|
| Description | Visual Inspection | Functional Test | Comments |
| 120-volt power | | | |
| Generator or UPS | | | |
| Battery condition | | | |
| Load voltage | | | |
| Discharge test | | | |
| Charger test | | | |
| Other (specify) | | | |
| 7.3 In-Building Fire Emergency V | | | quipment |
| Description | Visual Inspection | Functional Test | Comments |
| Control unit | | | |
| Lamps/LEDs/LCDs | | | |
| Fuses | | | |
| Primary power supply | | | |
| Secondary power supply | | | |
| Trouble signals | | | |
| Disconnect switches | | | |
| Ground-fault monitoring | | | |
| Panel supervision | | | |
| System performance | | | |
| Sound pressure levels | | | |
| Occupied Yes No | | | |
| Ambient dBA | | | |
| Alarm dBA | | | |
| (attach report with locations, values, and weather conditions) | | | |
| System intelligibility | | | |
| □ CSI □ STI | | | |
| (attach report with locations, values, and weather conditions) | | | |

7.4 Notification Appliance Power Extender Panels

| Description | Visual Inspection | Functional Test | Comments |
|-------------------------|----------------------|--------------------|----------|
| Lamps/LEDs/LCDs | | | |
| Fuses | | | |
| Primary power supply | | | |
| Secondary power supply | | | |
| Trouble signals | | | |
| Ground-fault monitoring | | | |
| Panel supervision | | | |
| Other (specify) | | | |

7.5 Mass Notification Equipment

| Description | Visual Inspection | Functional Test | Comments |
|----------------------------------|----------------------|--------------------|----------|
| Functional test | | | |
| Reset/power down test | | | |
| Fuses | | | |
| Primary power supply | | | |
| UPS power test | | | |
| Trouble signals | | | |
| Disconnect switches | | | |
| Ground-fault monitoring | | | |
| CCU security mechanism | | | |
| Prerecorded message content | | | |
| Prerecorded message activation | | | |
| Software backup performed | | | |
| Test backup software | | | |
| Fire alarm to MNS interface | | | |
| MNS to fire alarm interface | | | |
| In-building MNS to wide-area MNS | | | |

7.5 Mass Notification Equipment (continued)

| Description | Visual Inspection | Functional Test | Comments |
|---|----------------------|--------------------|----------|
| MNS to direct recipient MNS | | | |
| Sound pressure levels | | | |
| Occupied Yes No | | | |
| Ambient dBA | | | |
| Alarm dBA | | | |
| (attach report with locations, values, and weather conditions) | | | |
| System intelligibility | | | |
| □ CSI □ STI | | | |
| (attach report with locations, values, and weather conditions) | | | |
| Other (specify) | | | |
| 7.6 Two-Way Communications Eq | uipment | | |
| | | | |
| Description | Visual Inspection | Functional Test | Comments |
| Description Phone handsets | | | Comments |
| | Inspection | Test | Comments |
| Phone handsets | Inspection | Test | Comments |
| Phone handsets Phone jacks | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator Call-in signal | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator Call-in signal System performance | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator Call-in signal System performance System audibility | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator Call-in signal System performance System audibility System intelligibility Radio communications | Inspection | Test | Comments |
| Phone handsets Phone jacks Off-hook indicator Call-in signal System performance System audibility System intelligibility Radio communications enhancement system Area of refuge communication | | Test | Comments |

7.7 Combination Systems

Special suppression systems

Other (specify)

| Fire extinguishing monitoring devices/system Carbon monoxide detector/system Combination fire/security system Other (specify) 7.8 Special Hazard Systems Visual Inspection Test Comments 7.9 Emergency Communications System Visual Functional Simulated operation Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Pice pump | Description | Visual Inspection | Functional Test | Comments | | |
|---|--|----------------------|--------------------|----------|--|--|
| Combination fire/security system | | | | | | |
| 7.8 Special Hazard Systems Description (specify) | Carbon monoxide detector/system | | | | | |
| 7.8 Special Hazard Systems Description (specify) | Combination fire/security system | | | | | |
| Description (specify) Visual Inspection Test Comments 7.9 Emergency Communications System Visual Functional Simulated operation Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Inspection Functional Comments Functional Test Comments | Other (specify) | | | | | |
| Description (specify) Inspection Test Comments Test Comments Test Comments Test Comments Test Comments Test Comments Test Test Test Test Test Test Test T | 7.8 Special Hazard Systems | | | | | |
| 7.9 Emergency Communications System Visual Functional Simulated operation Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Functional Test Comments Engine-driven generator | Description (specify) | | | Comments | | |
| 7.9 Emergency Communications System Visual Functional Simulated operation Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Functional Test Comments Engine-driven generator | | | | | | |
| 7.9 Emergency Communications System Visual Functional Simulated operation Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Functional Inspection Test Comments Engine-driven generator | | | | | | |
| □ Visual □ Functional □ Simulated operation □ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Inspection Test Comments Engine-driven generator □ | | | | | | |
| □ Visual □ Functional □ Simulated operation □ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Inspection Test Comments Engine-driven generator □ | 7.0 Emargancy Communications System | | | | | |
| ☐ Functional ☐ Simulated operation ☐ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Inspection Test Comments Engine-driven generator □ □ | | , j stem | | | | |
| □ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Functional Inspection Test Comments | _ | | | | | |
| □ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. See NFPA 72, 24.4.1.7.1. 7.10 Monitored Systems Visual Functional Inspection Test Comments | ☐ Simulated operation | | | | | |
| Description (specify) Visual Inspection Functional Test Comments Engine-driven generator □ □ | ☐ Ensure predischarge notification appliances of special hazard systems are not overridden by the MNS. | | | | | |
| Description (specify) Inspection Test Comments Engine-driven generator □ □ | 7.10 Monitored Systems | | | | | |
| | Description (specify) | | | Comments | | |
| | Engine-driven generator | | | | | |
| | Fire pump | | | | | |

7.11 Auxiliary Functions

| Description | Visual Inspection | Functional Test | | Comments | |
|---|----------------------|--------------------|------|----------|--|
| Door-releasing devices | | | | | |
| Fan shutdown | | | | | |
| Smoke management/smoke control | | | | | |
| Smoke damper operation | | | | | |
| Smoke shutter release | | | | | |
| Door unlocking | | | | | |
| Elevator recall | | | | | |
| Elevator shunt trip | | | | | |
| MNS override of FA signals | | | | | |
| Other (specify) | | | | | |
| 7.12 Alarm Initiating Device Device test results sheet attached listing all devices tested and the results of the testing 7.13 Supervisory Alarm Initiating Device Device test results sheet attached listing all devices tested and the results of the testing 7.14 Alarm Notification Appliances Appliance test results sheet attached listing all appliances tested and the results of the testing 7.15 Supervisory Station Monitoring | | | | | |
| Description | Yes | No | Time | Comments | |
| Alarm signal | | | | | |

| Description | Yes | No | Time | Comments |
|-------------------------|-----|----|------|----------|
| Alarm signal | | | | |
| Alarm restoration | | | | |
| Trouble signal | | | | |
| Trouble restoration | | | | |
| Supervisory signal | | | | |
| Supervisory restoration | | | | |

| 8. | NOTIFICATIONS THAT TI | ESTING IS COMPLETE | | | | | |
|----|---|--------------------|--------|--|--|--|--|
| | Monitoring organization | Contact: | Time: | | | | |
| | Building management | Contact: | Time: | | | | |
| | Building occupants | Contact: | Time: | | | | |
| | Authority having jurisdiction | Contact: | Time: | | | | |
| | Other, if required | Contact: | Time: | | | | |
| 9. | SYSTEM RESTORED TO | NORMAL OPERATION | | | | | |
| | Date: | Time: | | | | | |
| 10 | CERTIFICATION 10.1 Inspector Certification: | | | | | | |
| | This system, as specified herein, has been inspected and tested according to all NFPA standards cited herein. | | | | | | |
| | Signed: | Printed name: | Date: | | | | |
| | Organization: Title: Phone: | | | | | | |
| | 10.2 Acceptance by Owner or Owner's Representative: | | | | | | |
| | The undersigned has a service contract for this system in effect as of the date shown below. | | | | | | |
| | Signed: | Printed name: | Date: | | | | |
| | Organization: | Title: | Phone: | | | | |

DEVICE TEST RESULTS

(Attach additional sheets if required)

| Device Type | Address | Location | Test Results |
|-------------|---------|----------|--------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1 | | 1 |